





ADAPTIVE AERODYNAMICS

THE FUTURISTIC ADAPTIVE AERODYNAMICS SYSTEM MAKES ITS DÉBUT. IT OPENS AND ADJUSTS THE DEFLECTORS AUTOMATICALLY ON THE FUEL TANK TO SUIT THE SPEED AND THE SELECTED RIDING MODE. THE AIR PRESSURE ON THE RIDER IS REDUCED BY 22% THANKS TO THE FLAPS, AND THE HEIGHT OF THE WINDSCREEN CAN BE ADJUSTED USING THE CONTROLS ON THE HANDLEBARS.















THE VIOO MANDELLO SETS A NEW STANDARD FOR MOTO GUZZI STYLE. FUNCTIONALITY IS AT THE HEART OF THE DESIGN, WHICH IS COMPACT, SPORTY AND BALANCED WITH EXACTLY THE RIGHT DETAILS AND FINISHES. THE ENGINE'S UNIQUE CONFIGURATION AND THE SCULPTED FUEL TANK ARE THE DISTINCTIVE FEATURES THAT SET THE TONE FOR THE BIKE'S ELEGANT AND MUSCULAR DESIGN. THE MODEL FEATURES A FULL-LED LIGHTING PACKAGE, WITH A DISTINCTIVE TAILLIGHT AND A DRL THAT ECHOES THE MOTO GUZZI EAGLE. THE PRESENCE OF CORNERING LIGHTS OFFERS ULTIMATE SAFETY WHEN TURNING. THE MOTO GUZZI HERITAGE IS CLEARLY REPRESENTED BY THE FUEL TANK AND SIDE PANELS, WHICH ARE A TRIBUTE TO THE LEGENDARY 1976 LE MANS, AND THE TOP FAIRING, A TRIBUTE TO THE 1981 LE MANS 850 III.

ADVANCED TFT DISPLAY

THE 5" FULL-COLOUR TFT DISPLAY OFFERS A CONSTANT OVERVIEW OF THE VEHICLE'S PARAMETERS. IN ADDITION THE "MOTO GUZZI MIA" SYSTEM, WHICH IS STANDARD ON THE S VERSION. ALLOWS A SMARTPHONE TO CONNECT TO THE INSTRUMENT PANEL VIA BLUETOOTH, EXTENDING ITS FUNCTIONS. MOTO GUZZI MIA INCLUDES BOTH AN INFOTAINMENT SYSTEM, ALLOWING THE USER TO MANAGE THE VOICE ASSISTANT, PHONE CALLS AND MUSIC THROUGH THE INTUITIVE HANDLEBAR CONTROLS, AND A NAVIGATION FEATURE WHICH, ONCE THE DESTINATION IS SET ON YOUR SMARTPHONE, IS ABLE TO DISPLAY THE DIRECTIONS ON THE INSTRUMENT PANEL ITSELF. THE DISPLAY ALSO FEATURES AN INTUITIVE MENU AND GRAPHIC USER INTERFACE AND ALLOWS THE USER TO QUICKLY SELECT THE BEST RIDING MODE. THE 4 RIDING MODES ENHANCE THE THRILL AND SAFETY OF THE RIDING EXPERIENCE, DECODING THE RIDER'S NEEDS ON THE BASIS OF THE RIDING SITUATION AND AUTOMATICALLY CONFIGURING A SERIES OF ELECTRONIC PARAMETERS.



RIDING MODE

TOURING

Designed to make the most of the chassis and engine during long distance exploits. It provides great level of comfort and travel safety.

SPORT

Brings out the bike's full potential in terms of responsiveness and sports riding, with deflectors closed and less invasive traction control.

RAIN

Guarantees ultimate safety when riding in bad weather, thanks to soft power regulation, open deflectors and traction control set to maximum.

ROAD

Conceived for smooth rides in urban environment. It provides agility to zip in congested roads while retaining good level of active safety.



NEXT LEVEL



TWO DIFFERENT VERSIONS IN TERMS OF APPEARANCE AND EQUIPMENT:
THE ELEGANT V100 MANDELLO AND AN S VERSION THAT TAKES THE MODEL'S
DYNAMIC AND TOURING FEATURES TO A HIGHER LEVEL.







ACCESSORIES

Complete your V100 Mandello with the line of dedicated accessories and get the level of comfort, protection and functionality you desire.

TOURING CAPABILITY & COMFORT

- · SIDE PANNIERS (30L LH-29L RH)
- TOP BOX (37 I)
- · REAR RACK
- TOURING WINDSCREEN
- · HEATED COMFORT SEAT STD
- · HEATED COMFORT HIGH
- HEATED COMFORT LOW
- PASSENGER COMFORT SEAT
- HEATED GRIPS*

PROTECTION & FUNCTIONALITY

- ENGINE PROTECTION BARS
- ALUMINUM CYLINDER
 HEAD PROTECTORS
- · CENTRE STAND
- AUXILIARY LED LIGHTS
- USB SOCKET

ELECTRICAL SYSTEM


- UP/DOWN QUICKSHIFTER**
- · TPMS*
- MOTO GUZZI MIA**
- ELECTRONIC ANTITHEFT



^{*} standard on V100 Mandello Aviazione Navale / S version

^{**} standard on S version





Breathtaking landscapes, roads to discover and new friends to meet. Moto Guzzi provides the bikes from its range and all you need to bring is your passion and hunger for freedom. Many riders at the start and a single group at the end. Different bikes but only one sound: that of the twin-cylinder from Mandello.



Moena

Cavalese

San Martino di Castrozza

Tione di Trento

Riva del Garda

Trento (

LOTS OF STORIES AND A UNIQUE ADVENTURE TO EXPERIENCE IN FULL MOTO GUZZI STYLE. COME CHECK OUT THE CALENDAR OF MOTO GUZZI EXPERIENCE TRIPS

AT MOTOGUZZI.COM



V100 MANDELLO

ROSSO

MAGMA



V100 MANDELLO S





V100 MANDELLO AVIAZIONE NAVALE



COLOURS

	V100 MANDELLO	V100 MANDELLO AVIAZIONE NAVALE	V100 MANDELLO S
Engine	Transversal 90° V-Twin, four valves per cylinder, liquid cooled with Ride by Wire	Transversal 90° V-Twin, four valves per cylinder, liquid cooled with Ride by Wire	Transversal 90° V-Twin, four valves per cylinder, liquid cooled with Ride by Wire
Displacement	1042 cc	1042 cc	1042 cc
Bore and stroke	96 x 72 mm	96 x 72 mm	96 x 72 mm
Max. power	115 Hp (84,6 kW) @ 8.700 rpm	115 Hp (84,6 kW) @ 8.700 rpm	115 Hp (84,5 kW) @ 8.800 rpm
Max. torque	105 Nm @ 6.750 rpm	105 Nm @ 6.750 rpm	105 Nm @ 6.750 rpm
Final drive	Shaft drive	Shaft drive	Shaft drive
Gearbox	6 speed	6 speed	6 speed
Clutch	Oil lubricated clutch, hydraulically operated	Oil lubricated clutch, hydraulically operated	Oil lubricated clutch, hydraulically operated
Front suspension	Ø41 mm USD fork with adjustable preload and rebound damping.	Ø41 mm USD fork with adjustable preload and rebound damping.	Fully adjustable Ø43 mm USD Öhlins Smart EC2.0 fork, with semi-active compression and rebound damping.
Rear suspension	Monoshock with adjustable preload and rebound damping.	Monoshock with adjustable preload and rebound damping.	Fully adjustable Öhlins TTX Smart EC2.0 monoshock with semi-active compression and rebound damping, remote preload adjustment
Front brake	Twin Ø320 mm floating discs, 4-piston Brembo monobloc radial calipers. Radial front master cylinder. Cornering ABS.	Twin Ø320 mm floating discs, 4-piston Brembo monobloc radial calipers. Radial front master cylinder. Cornering ABS.	Twin Ø320 mm floating discs, 4-piston Brembo monobloc radial calipers. Radial front master cylinder. Cornering ABS.
Rear brake	Single Ø280 mm disc, 2-piston Brembo caliper. Cornering ABS.	Single Ø280 mm disc, 2-piston Brembo caliper. Cornering ABS.	Single Ø280 mm disc, 2-piston Brembo caliper. Cornering ABS.
Front wheel	Cast aluminium, 17" x 3.5"	Cast aluminium, 17" x 3.5"	Cast aluminium, 17" x 3.5" - TPMS
Rear wheel	Cast aluminium, 17" x 6"	Cast aluminium, 17" x 6"	Cast aluminium, 17" x 6" - TPMS
Seat height	815 mm	815 mm	815 mm
Fuel tank capacity	17 I (3,5 I reserve)	17 I (3,5 I reserve)	17 I (3,5 I reserve)
Wet weight	233 kg (According to guideline VO (EU) 168/2013 with all fluids, with standard equipment and fuelled with at least 90% of usable tank volume)	233 kg (According to guideline VO (EU) 168/2013 with all fluids, with standard equipment and fuelled with at least 90% of usable tank volume)	233 kg (According to guideline VO (EU) 168/2013 with all fluids, with standard equipment and fuelled with at least 90% of usable tank volume)
Emissions compliance	Euro 5	Euro 5	Euro 5
CO ₂ Emissions	118 g/Km	118 g/Km	118 g/Km
Consumption	4,7 I/100 Km	4,7 1/100 Km	4,7 I/100 Km
Features	Full LED headlight with DRL, Cornering lights, LED indicators, Cornering ABS and Moto Guzzi Traction Control, Cruise Control, Riding Modes, Full colour TFT instrument, Adaptive aerodynamic, Electrically adjustable windscreen	Full LED headlight with DRL, Cornering lights, LED indicators, Cornering ABS and Moto Guzzi Traction Control, Cruise Control, Riding Modes, Full colour TFT instrument, Adaptive aerodynamic, Electrically adjustable windscreen, TPMS (Tyre pressure monitoring system), Heated grips, Numbered handlebar plate, Dedicated bike cover, Commemorative aluminium plaque	Full LED headlight with DRL, Cornering lights, LED indicators, Cornering ABS and Moto Guzzi Traction Control, Cruise Control, Riding Modes, Full colour TFT instrument, Adaptive aerodynamic, Electrically adjustable windscreen, TPMS (Tyre pressure monitoring system), Heated grips, Up/Down quickshifter, Moto Guzzi MIA

^{*} In compliance with the V0 (EU) 168/2013 standards, with all operating fluids, with standard equipment and fuel tank filled to 90% capacity.

SERVICES



Thanks to the routine maintenance services offered by the brand, you can ride your bike without a care in the world, When you select and purchase one of the packages available to meet various needs, you will be entitled to periodic scheduled maintenance in line with the specifications set out in the use and maintenance manual.

2 YEARS 2 service operations (1,500 - 12,000 km)

3 YEARS 3 service operations (1,500 - 12,000 - 24,000 km)

4 YEARS 4 service operations (1,500 - 12,000 - 24,000 - 36,000 km)



EXTENDED WARRANTY

The X-Care Extended Warranty completes the dedicated services on offer, protecting your peace of mind when it comes to your bike and allowing you to travel worry-free with a 1 or 2 year warranty which includes roadside assistance:

- Coverage of repair costs for faults due to manufacturing or assembly defects on parts
- Replacement of any damaged parts with original spare parts, labour included
- Roadside assistance which guarantees non-stop mobility in addition to the breakdown recovery and towing services
- Specialised, certified Piaggio Group Service assistance
- Maintenance of the retail value of your used vehicle in case you decide to sell
- Coverage throughout Europe

Ask your dealership or your authorised service centre for full details of the services and coverage available in your country.



FINANCIAL SERVICES® The dream of riding a Moto Guzzi is now even easier to achieve, thanks to Piaggio Financial Services, the new Piaggio Group platform dedicated to the most innovative financing solutions.

www.piaggiofinancialservices.com

The company reserves the right to make technical and aesthetic modifications at any time. Complete information regarding models and accessories is available at www.motoguzzi.com. Ride carefully, always wearing a helmet and suitable gear. Always comply with the Highway Code and respect the environment. Read the user and maintenance manuals thoroughly. Always request original, homologated spare parts in accordance with the laws in force. Refer to Official Moto Guzzi Dealers and Authorised Retailers for a secure purchase and guaranteed customer service.



